

1. IDENTIFICATION

Product Name	Ammonium Persulphate
Other Names	Ammonium peroxydisulfate
Uses	Oxidizing agents; polymerisation initiators.
Chemical Family	No Data Available
Chemical Formula	(NH4)2S2O8
Chemical Name	Peroxydisulfuric acid, diammonium salt
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Location	Telephone
Westmead NSW	1800-251525 131126
Australia	1800-127406 +64-4-9179888
Malaysia	+64-4-9179888
New Zealand	0800-243622 +64-4-9179888
New Zealand	0800-764766
USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887
	Location Westmead NSW Australia Malaysia New Zealand New Zealand USA & Canada

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled

Fax

ABN

Globally Harmonised System

Redox Ltd Corporate Office Sydney Locked Bag 15 Minto NSW 2566 Australia 2 Swettenham Road Minto NSW 2566 Australia All Deliveries: 4 Holmes Road Minto NSW 2566 Australia

Phone +61 2 9733 3000 +61 2 9733 3111 E-mail sydney@redox.com Web www.redox.com 92 000 762 345

Australia New Zealand Auckland Adelaide Christchurch Brisbane Melbourne Hawke's Bay Perth UK London Sydney

Malaysia Kuala Lumpur USA Los Angeles Oakland Mexico Saltillo



			. , .
Hazard Classification		Hazardous according to Chemicals (GHS)	o the criteria of the Globally Harmonised System of Classification and Labelling of
Hazard Categories		Oxidising Solids - Cate	gory 3
		Acute Toxicity (Oral) - C	Category 4
		Skin Corrosion/Irritatior	- Category 2
		Serious Eye Damage/Ir	ritation - Category 2A
		Sensitisation (Respirato	bry) - Category 1
		Sensitisation (Skin) - Ca	ategory 1
		Specific Target Organ	Toxicity (Single Exposure) - Category 3
Pictograms			
Signal Word		Danger	
Hazard Statements		H272	May intensify fire; oxidizer.
		H302	Harmful if swallowed.
		H315	Causes skin irritation.
		H317	May cause an allergic skin reaction.
		H319	Causes serious eye irritation.
		H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
		H335	May cause respiratory irritation.
Precautionary Statements	Prevention	P261	Avoid breathing dust.
		P270	Do not eat, drink or smoke when using this product.
		P272	Contaminated work clothing should not be allowed out of the workplace.
		P271	Use only outdoors or in a well-ventilated area.
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P220	Keep away from clothing and other combustible materials.
		P280	Wear protective gloves/protective clothing/eye protection/face protection.
		P284	Wear respiratory protection.
	Response	P370 + P378	In case of fire: Use water for extinction.
		P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER or doctor for emergency medical advice.
		P302 + P352	IF ON SKIN: Wash with plenty of water.
		P337 + P313	If eye irritation persists: Get medical attention.
		P333 + P313	If skin irritation or rash occurs: Get medical attention.
		P312	Call a POISON CENTER or doctor if you feel unwell.
		P330	Rinse mouth.
		P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P304 + P340	IF INHALED: Remove victim to fresh air and keep comfortable for breathing.
		P362 + P364	Take off contaminated clothing and wash it before reuse.
	Storage	P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
	5	P405	Store locked up.
	Disposal	P501	Dispose of contents/container in accordance with local / regional / national / international regulations.

National Transport Commission (Australia) Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

HSNO Classifications	Physical Hazards	5.1.1C	Oxidising substances that are liquids or solids: low hazard
	Health Hazards	6.1D	Substances that are acutely toxic - Harmful
		6.3A	Substances that are irritating to the skin
		6.4A	Substances that are irritating to the eye
		6.5A	Substances that are respiratory sensitisers
		6.5B	Substances that are contact sensitisers
		6.9B	Substances that are harmful to human target organs or systems

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Ammonium persulfate	(NH4)2S2O8	7727-54-0	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure			
Swallowed	IF SWALLOWED: Rinse mouth thoroughly with water. Keep respiratory tract clear. Call a Poison Centre or doctor/physician for advice. Never give anything by mouth to an unconscious person.		
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention. *Protect unharmed eye.		
Skin	IF ON SKIN (or hair): Immediately flush skin and hair with running water for at least 15 minutes, while removing contaminated clothing and shoes. If skin irritation or rash occurs, get medical advice/attention. Wash contaminated clothing and shoes before reuse. *Contaminated clothing may be a fire risk when dry.		
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a Poison Centre or doctor/physician for advice. Keep respiratory tract clear. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult.		
Advice to Doctor	Treat symptomatically and supportively. Keep victim calm and warm. Show this safety data sheet (SDS) to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later. *Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.		
Medical Conditions Aggravated by Exposure	May cause allergy or asthma symptoms or breathing difficulties if inhaled; May cause an allergic skin reaction.		

5. FIRE FIGHTING MEASURES

General Measures

Move containers from fire area if you can do it without risk. Do not move cargo or vehicle if cargo has been exposed to heat! Cool containers with flooding quantities of water until well after fire is out. ALWAYS stay away from tanks engulfed in fire.

Flammability Conditions	OXIDISING SOLID: Will accelerate burning when involved in a fire. May ignite combustibles.
Extinguishing Media	Use water. Do not use dry chemicals or foams. CO2 or Halon® may provide limited control. Large fire: Flood fire area with water from a distance. *Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire and Explosion Hazard	May explode from heat or contamination! Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapours which may auto-ignite.
Hazardous Products of Combustion	Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition.
Special Fire Fighting Instructions	Runoff from fire control or dilution water may cause pollution. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. *Runoff may create fire or explosion hazard!
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing - It may provide little or no thermal protection. Structural firefighters' protective clothing will only provide limited protection.
Flash Point	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	1Z

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation - Ventilate enclosed spaces before entering. Remove all sources of ignition. Prevent exposure to heat. Do not contaminate - Contact with incompatible substances can cause decomposition at or below SADT. Keep combustibles away from spilled material! Clear spills immediately! Avoid dust formation. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Use clean non-sparking tools to transfer material to a clean, dry plastic container and cover loosely. Move container from spill area. Isolate waste and do not reuse. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the clean-up of releases (see SECTION 13). *Never return spills in original containers for re-use.
Containment	Stop leak if you can do it without risk. Prevent entry into waterways, drains or confined areas. *Use water spray to knock down vapours or divert vapour clouds.
Decontamination	Following product recovery, flush area with water. Soak up with inert absorbent material.
Environmental Precautionary Measures	Spillages and decontamination runoff should be prevented from entering drains and waterways.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away. Keep upwind and to higher ground. For large spills: Consider initial downwind evacuation of areas within at least 100 m.
Personal Precautionary Measures	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation - Provide appropriate exhaust ventilation at places where dust is formed. Handle in accordance with good industrial hygiene and safety practice. Minimise workplace exposure concentrations. Avoid dust formation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Wear protective gloves/protective clothing/eye protection/face protection (see SECTION 8). OXIDISING SOLID: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Take precautionary measures against static discharges. Do not contaminate - Keep away from combustible materials! Never return any product to the container from which it was originally removed.
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep containers tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage and risk of impurities. Protect from contamination. Protect from moisture. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Keep away from combustibles and other incompatible materials (see SECTION 10). Store locked up. Store in accordance with the particular national regulations. *Recommended storage temperature: < 30 °C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Exposure Limits	For Ammonium persulphate (CAS No. 7727-54-0): - Safe Work Australia Exposure Standard: TWA = 0.1 mg/m3 Peak limitation; Respiratory and/or skin sensitiser (Sen). No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	 Respiratory protection: In the case of dust or aerosol formation, use respirator with an approved filter. Recommended: Filter type P (refer to AS/NZS 1715 & 1716). Eye/face protection: Wear appropriate eye protection to prevent eye contact. Recommended: Tightly fitting safety goggles. Also wear face protection if there is a splash hazard. Hand protection: Wear protective gloves. Recommended: Butyl rubber (0.5 mm) or Nitrile rubber (0.4 mm). Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance (s) and specific to place of work. Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Protective suit. Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Special Hazards Precaustions	Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Smoking, eating and drinking should be prohibited in the application area. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Solid
Crystalline
Slight, not significant
White
4 ca. 10 g/l
<0.001 hPa (@ 25 °C)
No Data Available
No Data Available
Decomposes below the melting point
No Data Available
Soluble in water (850 g/l) 25°C
No Data Available
1,100 kg/m3 (20 °C)
No Data Available
SADT: 130 °C
No Data Available
No Data Available
228.19
No Data Available
No Data Available

Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Not expected to form explosive dust-air mixtures.
Fast or Intensely Burning Characteristics	May explode from heat or contamination!
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	Contact with incompatible substances can cause decomposition at or below SADT.
Properties That May Initiate or Contribute to Fire Intensity	OXIDISING SOLID: Will accelerate burning when involved in a fire. May ignite combustibles.
Reactions That Release Gases or Vapours	Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition.
Release of Invisible Flammable Vapours and Gases	Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapours which may auto-ignite.

10. STABILITY AND REACTIVITY

General Information	Even small amounts of moisture or impurities can noticeably reduce the self-accelerating decomposition temperature (SADT).
Chemical Stability	Stable under recommended storage conditions.
Conditions to Avoid	Avoid moisture and contact with incompatible substances. Keep away from heat and sources of ignition.
Materials to Avoid	Incompatible/reactive with combustible materials, accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents.
Hazardous Decomposition Products	Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition.
Hazardous Polymerisation	No information available.

11. TOXICOLOGICAL INFORMATION

General Information	 Acute toxicity: Harmful if swallowed. The component/mixture is moderately toxic after single ingestion. Skin corrosion/irritation: Causes skin irritation. Skin irritation (Rabbit) [OECD Test Guideline 404]. Eye damage/irritation: Causes serious eye irritation. Irritating to eyes (Rabbit) [OECD Test Guideline 405]. Respiratory/skin sensitisation: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity: Not classified based on available information. Carcinogenicity: Not classified based on available information. STOT (single exposure): May cause respiratory irritation. STOT (repeated exposure): Not classified based on available information. Aspiration toxicity: Not classified based on available information.
Acute	
Ingestion	Acute toxicity (Oral): - LD50, Rat (male): 742 mg/kg [OECD Test Guideline 401; Supplier's SDS].
Inhalation	Acute toxicity (Inhalation): - LC50, Rat: >5.1 mg/l (4 h) dust/mist [OECD Test Guideline 403; Supplier's SDS].
Other	Acute toxicity (Dermal): - LD50, Rat: >2,000 mg/kg [Supplier's SDS].

12. ECOLOGICAL INFORMATION

Ecotoxicity	Aquatic toxicity: - LC50 Fish (Scophthalmus maximus): 107.6 mg/l (96 h) [OECD Test Guideline 203]. - EC50, Crustacea (Daphnia magna): 120 mg/l (48 h) [OECD Test Guideline 202]. - EC50, Algae/aquatic plants (Phaeodactylum): 320 mg/l (72 h) [OECD Test Guideline 201]. - NOEC, Algae/aquatic plants (Phaeodactylum): 32 mg/l (72 h) [OECD Test Guideline 201]. - Toxicity to microorganisms: - EC10, Bacteria (Pseudomonas putida): 36 mg/l (18 h).
Persistence/Degradability	The methods for determining biodegradability are not applicable to inorganic substances.
Mobility	No information available.
Environmental Fate	Slightly water endangering - The product should not be allowed to enter drains, water courses or the soil.
Bioaccumulation Potential	No information available.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of contents/container in accordance with local/regional/national regulations.
Special Precautions for Land Fill	Do not contaminate ponds, waterways or ditches with chemical or used container. Do not re-use empty containers.

14. TRANSPORT INFORMATION

Land Transport (Australia) ADG Code	
Proper Shipping Name	AMMONIUM PERSULPHATE
Class	5.1 Oxidising Substances
Subsidiary Risk(s)	No Data Available
EPG	31 Oxidizing Substances
UN Number	1444
Hazchem	1Z
Pack Group	Ш
Special Provision	No Data Available
Land Transport (Malaysia) ADR Code	
Proper Shipping Name	AMMONIUM PERSULPHATE
Class	5.1 Oxidising Substances
Subsidiary Risk(s)	No Data Available
EPG	31 Oxidizing Substances
UN Number	1444
Hazchem	1Z
Pack Group	Ш
Special Provision	No Data Available

Land Transport (New Zealand) NZS5433

Proper Shipping Name	AMMONIUM PERSULPHATE
Class	5.1 Oxidising Substances
Subsidiary Risk(s)	No Data Available
EPG	31 Oxidizing Substances
UN Number	1444
Hazchem	1Z
Pack Group	III
Special Provision	No Data Available

Land Transport (United States of America)

US DOT

Proper Shipping Name	AMMONIUM PERSULPHATE
Class	5.1 Oxidising Substances
Subsidiary Risk(s)	No Data Available
ERG	140 Oxidizers
UN Number	1444
Hazchem	1Z
Pack Group	III
Special Provision	No Data Available

Sea Transport

Proper Shipping Name	AMMONIUM PERSULPHATE
Class	5.1 Oxidising Substances
Subsidiary Risk(s)	No Data Available
UN Number	1444
Hazchem	1Z
Pack Group	III
Special Provision	No Data Available
EMS	F-A, S-Q
Marine Pollutant	No

Air Transport

IATA DGR

Proper Shipping Name	AMMONIUM PERSULPHATE
Class	5.1 Oxidising Substances
Subsidiary Risk(s)	No Data Available
UN Number	1444
Hazchem	1Z
Pack Group	III
Special Provision	No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification

Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	HSR001311 (Reissued)
---------------	----------------------

National/Regional Inventories

Australia (AIIC)	Listed		
Canada (DSL)	Listed		
Canada (NDSL)	Not Determined		
China (IECSC)	Listed		
Europe (EINECS)	231-786-5		
Europe (REACh)	Not Determined		
Japan (ENCS/METI)	Listed		
Korea (KECI)	Listed		
Malaysia (EHS Register)	Not Determined		
New Zealand (NZIoC)	Listed		
Philippines (PICCS)	Listed		
Switzerland (Giftliste 1)	Not Determined		
Switzerland (Inventory of Notified Substances)	Not Determined		
Taiwan (NCSR)	Listed		
USA (TSCA)	Listed		

16. OTHER INFORMATION

Related Product Codes	AMPERS1000, AMP	PERS1001, A	MPERS1002,	AMPERS1003,	AMPERS1004, J	AMPERS1005,	AMPERS1006,
	AMPERS1007, AMF	PERS1008, A	MPERS1009,	AMPERS1010,	AMPERS1011,	AMPERS1012,	AMPERS1013,
	AMPERS1014, AMF	PERS1015, A	MPERS1016,	AMPERS1017,	AMPERS1018, J	AMPERS1019,	AMPERS2000,
	AMPERS2001, AMF	PERS2002, A	MPERS2003,	AMPERS2004,	AMPERS2005, J	AMPERS2006,	AMPERS2500,
	AMPERS3000, AM	PERS3500, A	MPERS3501,	AMPERS3502,	AMPERS3503,	AMPERS3504,	AMPERS3505,
	AMPERS3506, AMF	PERS3507, A	MPERS3508,	AMPERS3509,	AMPERS3510, J	AMPERS3511,	AMPERS3512,
	AMPERS3513, AMP	PERS3514, A	MPERS3515,	AMPERS3516,	AMPERS3517, J	AMPERS3518,	AMPERS3519,
	AMPERS3520, AMF	PERS3521, A	MPERS3522,	AMPERS3523,	AMPERS3524, J	AMPERS3525,	AMPERS3526,
	AMPERS3527, AMF	PERS3528, A	MPERS3529,	AMPERS3530,	AMPERS3531,	AMPERS3532,	AMPERS3533,
	AMPERS3534, AMF	PERS3600, A	MPERS3601,	AMPERS3800,	AMPERS4000,	AMPERS4001,	AMPERS5000,
	AMPERS6000, AMI	PERS6500, A	MPERS7000,	AMPERS7200,	AMPERS7500,	AMPERS7501,	AMPERS7600,

AMPERS8000, AMPERS9000, AMPERS9100, AMPERS9200, AMPERS9300, AMPERS9500

5 Revision **Revision Date** 30 May 2022 Key/Legend < Less Than > Greater Than AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm² Square Centimetres CO2 Carbon Dioxide COD Chemical Oxygen Demand deg C (°C) Degrees Celcius EPA (New Zealand) Environmental Protection Authority of New Zealand deg F (°F) Degrees Farenheit g Grams g/cm³ Grams per Cubic Centimetre g/I Grams per Litre HSNO Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health immiscible Liquids are insoluable in each other. inHg Inch of Mercury inH2O Inch of Water K Kelvin kg Kilogram kg/m³ Kilograms per Cubic Metre **Ib** Pound LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals. itr or L Litre **m³** Cubic Metre mbar Millibar mg Milligram mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram mg/m³ Milligrams per Cubic Metre Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present. mm Millimetre mmH2O Millimetres of Water mPa.s Millipascals per Second N/A Not Applicable **NIOSH** National Institute for Occupational Safety and Health NOHSC National Occupational Heath and Safety Commission OECD Organisation for Economic Co-operation and Development Oz Ounce PEL Permissible Exposure Limit Pa Pascal ppb Parts per Billion ppm Parts per Million ppm/2h Parts per Million per 2 Hours ppm/6h Parts per Million per 6 Hours **psi** Pounds per Square Inch **R** Rankine **RCP** Reciprocal Calculation Procedure **STEL** Short Term Exposure Limit TLV Threshold Limit Value tne Tonne **TWA** Time Weighted Average ug/24H Micrograms per 24 Hours **UN** United Nations wt Weight