

# Blackmagic Cloud Dock 4



Blackmagic Cloud Dock 4 lets you share up to 4 independent 2.5 inch disks over a high speed 10G Ethernet network. Just plug in SATA HDDs and SSDs, or extreme performance U.2 disks for incredibly fast file reading and writing. You can also sync files globally using Dropbox and Google Drive sync and view all storage, connection and sync activity in real time on a display connected to the HDMI monitor port. Blackmagic Cloud Dock 4 has 4 10G Ethernet ports, an Ethernet over USB-C port and an internal power supply in a single rack unit making it highly portable network storage that's perfect for high end film and television use.

**A\$2,175**

## Connections

### SSD Interface

4 x removable and hot-swappable 2.5 inch U.2 SSD or SATA.

### USB-C Port

1 x USB 3.0 (up to 5Gb/s). Supports Ethernet Over USB

### Computer Interface


USB-C or Ethernet for shared file access, configuration and software updates.

### 10G Ethernet Ports

4 x 10G BASE-T

### HDMI Monitor Outputs

1



## File Sharing Protocol

### Protocol

SMB

### Computer Connections

50 max.

---

## Cloud Synchronization

### Compatible Services

Dropbox  
Google Drive

---

## Storage

### Storage Type

Bring your own drive.

### External Storage Format

ExFAT (Windows/Mac) or HFS+ (Mac)  
file systems.

---

## Displays

### HDMI Monitor Out Standards

1080p50, 1080p59.94, 1080p60

### Monitor Out Displays

Device Name, storage capacity and  
use, Cloud Sync status, User Activity,  
Hardware Status, storage map,  
network data rate graph.

### Status Indicator

LED bezel indicator lights around SSD  
media slots.

---

## Device Control

### External Control

USB-C or Ethernet for configuration and software updates.

---

## Software

### Software Included

Blackmagic Cloud Setup Utility  
Blackmagic Proxy Generator Lite  
Internal software upgrade via Blackmagic Cloud Setup using USB-C port

---

## Operating Systems



Mac 12.0 Monterey,  
Mac 13.0 Ventura or later.



Windows 10, 64-bit.  
Windows 11.

---

---

## Power Requirements

### Power Supply


Internal 100 - 240V AC 50/60Hz with IEC C14 mains input.

### Power Usage

60W without SSDs.

---

## Physical Specifications



## Environmental Specifications

### Operating Temperature

0° to 40° C (32° to 104° F)

### Storage Temperature

-20° to 60° C (-4° to 140° F)

### Relative Humidity

0% to 90% non-condensing

---

## What's Included

Blackmagic Cloud Dock 4

Welcome wallet with QR code for software download

---

## Warranty

12 Month Limited Manufacturer's Warranty.

---

All items on this website are copyright Blackmagic Design Pty. Ltd. 2023, all rights reserved.  
All trademarks are property of their respective owners. MSRP includes GST and excludes shipping costs.  
This website uses remarketing services to advertise on third party websites to previous visitors to our site.  
You can opt out at any time by changing cookie settings. [Privacy Policy](#)

Blackmagic Design Authorized Reseller