

# **Blackmagic Cloud Store**



The Blackmagic Cloud Store is a very fast high capacity network disk that's designed to handle large media files used on Hollywood feature films. The design uses advanced flash memory so it easily handles lots of simultaneous users. Plus it's extremely easy to set up!

From A\$16,255

### Connections

#### **10G Ethernet Ports**

4 x 100/1000/10G BASE-T

#### **1G Ethernet Ports**

2 x 100/1000 BASE-T

#### Ingest USB-C Port

1 x USB 3.0 (up to 5Gb/s). Automatically transfers files from USB drive to Cloud Store.

#### **Backup USB-C Port**


1 x USB 3.0 (up to 5Gb/s). Automatically backs up files from Cloud Store to USB drive.

#### **HDMI Monitor Outputs**

1

#### **Computer Interface**

Ethernet for shared file access, configuration and software updates. USB-C for configuration and software updates.



## File Sharing Protocol

Protocol **Computer Connections** 

SMB 50 max.

## Cloud Synchronization

### **Compatible Services**

Dropbox Google Drive

## Storage

**Storage Type** Redundancy

M.2 NVMe SSD RAID 5 distributed parity

**Total Capacity External Storage** 

20TB, 80TB or 320TB USB Disks

### **External Storage Format**

ExFAT (Windows/Mac) or HFS+ (Mac)

file systems.

## Displays

### **HDMI Monitor Out Standards**

1080p50, 1080p59.94, 1080p60.

#### **Monitor Out Displays**

Device Name, storage capacity and use, Cloud Sync status, User Activity, Hardware Status, storage map, network data rate graphs.

#### **Status Indicator**

Underside white glow indicating normal operation or red glow indicating disk or power supply fault.

## **Device Control**

#### **External Control**

USB-C or Ethernet for configuration and software updates.

#### Software

#### Software Included

Blackmagic Cloud Setup Utility
Blackmagic Proxy Generator Lite
Internal software upgrade via Blackmagic Cloud Setup using USB-C port.

## **Operating Systems**



Mac 11.1 Big Sur, Mac 12.0 Monterey or later.



Windows 10 and 11.

## Power Requirements

## **Power Supply**

2 x internal 100 - 240V AC 50/60Hz.

#### **Power Inputs**

1 x IEC C14 mains input.

### **Power Usage**

400W max.

## Physical Specifications



## **Environmental Specifications**

Operating Temperature	Storage Temperature	Relative Humidity
0° to 40° C (32°to 104° F)	-20° to 60° C (-4° to 140° F)	0% to 90% non-condensing

### What's Included

Blackmagic Cloud Store
Welcome wallet with QR code for software download.

## Warranty

12 Month Limited Manufacturer's Warranty.

Blackmagic Design Authorized Reseller	

All items on this website are copyright Blackmagic Design Pty. Ltd. 2022, all rights reserved.

All trademarks are property of their respective owners. MSRP includes GST and excludes shipping costs.

This website uses remarketing services to advertise on third party websites to previous visitors to our site.

You can opt out at any time by changing cookie settings. Privacy Policy